


**Casaferra**<sup>®</sup>  
Porcelain. Elegance. Sustainability

**HS** HAWAII SANDSTONE



**HAWAII SANDSTONE**  
ORIGINAL STONE

**HAWAII SANDSTONE**  
ORIGINAL STONE





Sandstone è una persona che ha vissuto le vicissitudini della vita. È un dono estetico della natura e una scultura artistica di montagne e fiumi nel tempo. È ruvido e naturale senza perdere la sua grandezza.



**Casaferra**<sup>®</sup>  
Porcelain. Elegance. Sustainability



Sandstone is a person who has experienced the vicissitudes of life. It is an aesthetic gift from nature and an artistic sculpture of mountains and rivers over time. It is rough and natural without losing its grandeur.


**NERO**

**GRIGIO**

**BEIGE**

**IVORY**


SIZE



600x1200mm 24"x48"




Floor-612HS5  
600X1200mm 24"x48"



Floor-612HS1  
600X1200mm 24"x48"

Hawaii is famous for its sea. The sandstone that has been washed and deposited by sea water is warmer and softer, leaving a unique imprint of sea water and a naturally carved beauty.

Hawaii Sandstone / 夏威夷砂岩



12 PATTERNS(600x1200mm)



IVORY-612HS1  
Surface: Flat

600x1200mm 24"x48"



Floor-612HS3  
600X1200mm 24"x48"



From the three aspects of natural color, texture and texture, the sandstone and rock layers are stacked and accumulated to form a soft natural texture.

Hawaii Sandstone / 夏威夷砂岩



12 PATTERNS(600x1200mm)




BEIGE-612HS3  
Surface: Flat

600x1200mm 24"x48"



Floor-612HS5  
600X1200mm 24"x48"



The Hawaiian beaches washed by the warm ocean show four colors, which are gifts from the seabed. The four warm background colors and soft touch hide rich connotations and infinite reverie. The art about nature wanders freely in the space.

Hawaii Sandstone / 夏威夷砂岩



12 PATTERNS(600x1200mm)



GRIGIO-612H55  
Surface: Flat


600x1200mm 24"x48"



Blending to achieve a comfortable environment. The real and delicate texture engraved on the base is interlaced and layered, revealing the texture beauty and visual impact of Hawaii Sandstone.



Hawaii Sandstone / 夏威夷砂岩



12 PATTERNS(600x1200mm)



NERO-612HS7  
Surface: Flat

600x1200mm 24"x48"

# MOSAIC




**M12**  
300X300mm




**M21**  
320X268mm



**M13**  
285X285mm



**M32**  
275X275mm



**M31**  
300X300mm



**M11**  
300X300mm



**M22**  
300X300mm




**M23**  
300X300mm



**M51**  
610X813mm

## PRODUCT FEATURE 产品特点 / APPLICATION 应用 / INSTALLATION GUIDANCE 安装指南



## TECHNICAL SPECIFICATION 技术标准

| MEASUREMENT AND SURFACE APPEARANCE<br>尺寸和表面效果 | STANDARD PRESCRIBED VALUES<br>标准规定值                            | VALUES<br>标准值(600×1200mm)  |
|---|--|----------------------------|
| <b>Dimensions &amp; Surface Quality</b>       |  |                            |
| Length and Width<br>长度和宽度                     | ±0.6% max.   | -0.03-0.03%                |
| Thickness<br>厚度                               | ±5% max.   | 10.0-10.5mm                |
| Orthogonality<br>直角度                          | ±0.5% max.   | -0.06-0.07%                |
| Straightness of sides<br>边直度                  | ±0.5% max.   | -0.02-0.03%                |
| Surfaces flatness<br>表面平整度                    | ±0.5% max.   | -0.09-0.11%                |
| <b>Physical Properties</b>                    |  |                            |
| Water absorption<br>吸水率                       | ≤0.5%  | ≤0.5%                      |
| Breaking strength<br>断裂强度                     | ≥1300N   | 4031N                      |
| Bending resistance<br>抗弯强度                    | ≥35N/mm <sup>2</sup>   | 40N/mm <sup>2</sup>        |
| Resistance to deep abrasion<br>耐磨程度           | ≤175mm <sup>3</sup>  | Class 4                    |
| Temperature shock resistance<br>耐高低温系数        | No visible crack<br>没有明显裂纹                                     | Durable<br>耐温性好            |
| Resistance to frost<br>防冻性能                   | No visible crack<br>没有明显裂纹                                     | No visible crack<br>没有明显裂纹 |
| Non-slip<br>防滑系数                              |  |                            |
| Colour resistance to light<br>颜色耐光性           | no colour changes<br>不褪色                                       | no colour changes<br>不褪色   |
| <b>Chemical Properties</b>                    |  |                            |
| Chemical resistance<br>耐化学性                   | no visible changes<br>when subjected to chemicals<br>遇化学物质不受影响 | Durable<br>耐化学性能好          |
| Resistance to staining<br>抗染色                 | ≥3   | Class 5<br>5级              |



## PACKING DETAILS 包装细节

| SIZES<br>尺寸 | PCS/CTN<br>片/箱 | M <sup>2</sup> /CTN<br>平方/箱 | KG/CTN<br>千克/箱 | CTN/PALLET<br>箱/托 |
|-------------|----------------|-----------------------------|----------------|-------------------|
|             |                |                             |                |                   |
| 600x1200mm  | 2              | 1.44                        | 35             | 60                |

Every appearance of **Casaferra**<sup>®</sup>  
can make you feel the elegance of life

C10, Central Section, China Ceramics Industry Headquarters

No.68, West Ji Hua Road, Foshan City

[www.casaferra.com](http://www.casaferra.com)

TEL:0757-8533 9907