

**Casaferra**<sup>®</sup>  
Porcelain. Elegance. Sustainability

**NAM** Green Namibe



**GREEN NAMIBE**  
MARBLE

**GREEN NAMIBE**  
MARBLE






Il Green Namibe trae ispirazione dal Namibe dell'Angola, in Africa, ed è famoso per la sua inconfondibile tonalità verde. Il colore della pietra varia dallo scuro al chiaro, e ogni centimetro è permeato di naturale agilità e vitalità. Questa pietra è ampiamente utilizzata nella decorazione architettonica di lusso, lasciando un segno unico nei progetti architettonici e nelle creazioni artistiche di lusso in tutto il mondo.




**Casaferra**<sup>®</sup>  
Porcelain. Elegance. Sustainability



Green Namibe is inspired by Namibe in Angola, Africa, and is famous for its unique green hue. The color of the stone changes from dark to light, and every inch is filled with natural agility and vitality. This stone is widely used in high-end architectural decoration, leaving a unique mark in high-end architectural projects and artistic creations around the world.

# GREEN NAMIBE


SIZE



900x1800mm 36"x72"

**GREEN ROSA**  
90x180\_36"x72"





Floor & Wall-918NAM10  
900X1800mm 36"x72"



Under the action of high temperature and high pressure in nature, originally disorderly distributed minerals such as quartz, feldspar, and mica begin to rearrange and combine, thereby forming the unique crystalline structure framework of Nami Bei Green stone.

Floor -918NAM10  
900X1800mm 36"x72"



Floor& Wall-918NAM10  
900X1800mm 36"x72"



**GREEN NAMIBE / 纳米贝绿**



10 PATTERNS(900x1800mm)



**GREEN ROSA 918NAM10**

Surface: Micro Mould, Volcanic

900x1800mm 36"x72"

# MOSAIC



**M12**  
300X300mm



**M21**  
320X268mm



**M13**  
285X285mm



**M32**  
275X275mm



**M31**  
300X300mm



**M11**  
300X300mm



**M22**  
300X300mm




**M23**  
300X300mm



**M51**  
610X813mm

## PRODUCT FEATURE 产品特点 / APPLICATION 应用 / INSTALLATION GUIDANCE 安装指南



V1 = Uniform Appearance  
V2 = Slight Variation  
V3 = Moderate Variation  
V4 = Substantial Variation

## TECHNICAL SPECIFICATION 技术标准

MEASUREMENT AND SURFACE APPEARANCE 尺寸和表面效果	STANDARD PRESCRIBED VALUES 标准规定值	VALUES 标准值(900×1800mm)
<b>Dimensions &amp; Surface Quality</b>		
Length and Width 长度和宽度	±0.6% max.	-0.03-0.03%
Thickness 厚度	±5% max.	10.0-10.5mm
Orthogonality 直角度	±0.5% max.	-0.06-0.07%
Straightness of sides 边直度	±0.5% max.	-0.02-0.03%
Surfaces flatness 表面平整度	±0.5% max.	-0.09-0.11%
<b>Physical Properties</b>		
Water absorption 吸水率	≤0.5%	≤0.5%
Breaking strength 断裂强度	≥1300N	4031N
Bending resistance 抗弯曲性	≥35N/mm <sup>2</sup>	40N/mm <sup>2</sup>
Resistance to deep abrasion 耐磨程度	≤175mm <sup>3</sup>	Class 4
Temperature shock resistance 耐高低温系数	No visible crack 没有明显裂纹	Durable 耐温性好
Resistance to frost 防冻性能	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹
Non-slip 防滑系数		
Colour resistance to light 颜色耐光性	no colour changes 不褪色	no colour changes 不褪色
<b>Chemical Properties</b>		
Chemical resistance 耐化学性	no visible changes when subjected to chemicals 遇化学物质不受影响	Durable 耐化学性能好
Resistance to staining 抗染色	≥3	Class 5 5级



## PACKING DETAILS 包装细节

SIZES 尺寸	PCS/CTN 片/箱	M <sup>2</sup> /CTN 平方/箱	KG/CTN 千克/箱	CTN/PALLET 箱/托
900x1800mm	1	1.62	40	56

Every appearance of **Casaferra**<sup>®</sup>  
can make you feel the elegance of life

C10, Central Section, China Ceramics Industry Headquarters

No.68, West Ji Hua Road, Foshan City

[www.casaferra.com](http://www.casaferra.com)

TEL:0757-8533 9907