

**Casaferra**<sup>®</sup>

Porcelain. Elegance. Sustainability

**MET** OXIDE METAL



**OXIDE METAL**

**OXIDE METAL**





Casaferra infrange i confini intrinseci dei materiali, prendendo come essenza la texture screziata dell'ossidazione del metallo e fondendo la ruvidezza della civiltà industriale e l'eleganza dell'arte della lacca in un nuovo simbolo estetico.



**Casaferra**<sup>®</sup>  
Porcelain. Elegance. Sustainability



Casaferra transcends the inherent boundaries of materials, forging a new aesthetic symbol that fuses the ruggedness of industrial civilization with the refinement of lacquer art through its core expression of mottled metallic oxidation textures. The rust patterns mimic the naturally oxidized patina of metal, where varying depths of corrosion, asymmetric distribution, and textured relief effects coalesce to create a weather-beaten temporal quality. These time-engraved imprints on metallic surfaces gradually evolve into a distinctive industrial aesthetic, presenting a poetic beauty of weathering that narrates the passage of time through material transformation.

# OXIDE METAL



PEARL RUST\_MET10

60x120\_24"x48"

GREY RUST\_MET01

60x120\_24"x48"

GIALLO\_MET03

60x120\_24"x48"

BROWNZ\_MET05

60x120\_24"x48"

VERDE\_MET06

60x120\_24"x48"

IRON RUST\_MET09


60x120\_24"x48"

DECOR RUST\_MET-HM


60x120\_24"x48"



Floor-612MET10  
600X1200mm 24"x48"



**Floor-612MET10**  
600X1200mm 24"x48"




Floor&Wall-612MET01/06  
600X1200mm 24"x48"

The birth of the OXIDE METAL series of products is also a response to the concept of sustainable design



Floor-612MET01  
600X1200mm 24"x48"



Floor-612MET03  
600X1200mm 24"x48"



Floor&Wall-612MET03/612MET-HM  
600X1200mm 24"x48"



Floor&Wall-612MET03/612MET-HM  
600X1200mm 24"x48"



Floor&Wall-612MET05  
600X1200mm 24"x48"



Floor&Wall-612MET05  
600X1200mm 24"x48"



Floor&Wall-612MET-HM  
600X1200mm 24"x48"



Floor&Wall-612MET-HM  
600X1200mm 24"x48"



Oxide Metal / 金属



12 PATTERNS(600x1200mm)



**Pearl Rust-612MET10**

Surface: Mould, Mix Grit, Positioning Metal Grit

600x1200mm 24"x48"

Oxide Metal / 金属



12 PATTERNS(600x1200mm)



**Grey Rust-612MET01**

Surface: Mould, Mix Grit, Positioning Metal Grit

600x1200mm 24"x48"

Oxide Metal / 金属



12 PATTERNS(600x1200mm)



**Giallo-612MET03**  
Surface: Mould, Mix Grit, Positioning Metal Grit

600x1200mm 24"x48"

Oxide Metal / 金属



12 PATTERNS(600x1200mm)



**Brownz-612MET05**

Surface: Mould, Mix Grit, Positioning Metal Grit

600x1200mm 24"x48"

Oxide Metal / 金属




12 PATTERNS(600x1200mm)



**Verde-612MET06**  
Surface: Mould, Mix Grit, Positioning Metal Grit

600x1200mm 24"x48"

Oxide Metal / 金属




12 PATTERNS(600x1200mm)



**Iron Rust-612MET09**  
Surface: Mould, Mix Grit, Positioning Metal Grit

600x1200mm 24"x48"

Oxide Metal / 金属



8 PATTERNS(600x1200mm)



Decor Rust-612MET-HM

Surface: Mould, Mix Grit, Positioning Metal Grit

600x1200mm 24"x48"

Oxide Metal / 金属



4 PATTERNS(900x1800mm)

Decor Rust-918MET-HM

# MOSAIC


## PRODUCT FEATURE 产品特点 / APPLICATION 应用 / INSTALLATION GUIDANCE 安装指南



**M12**  
300X300mm



**M21**  
320X268mm



**M13**  
285X285mm




**M32**  
275X275mm



**M31**  
300X300mm



**M11**  
300X300mm




**M22**  
300X300mm



**M23**  
300X300mm



**M51**  
610X813mm



## TECHNICAL SPECIFICATION 技术标准

MEASUREMENT AND SURFACE APPEARANCE 尺寸和表面效果	STANDARD PRESCRIBED VALUES 标准规定值	VALUES 标准值(600×1200mm)	VALUES 标准值(900×1800mm)
<b>Dimensions &amp; Surface Quality</b>			
Length and Width 长度和宽度	±0.6% max.	-0.03-0.03%	-0.03-0.03%
Thickness 厚度	±5% max.	10.0-10.5mm	10.0-10.5mm
90° Orthogonality 直角度	±0.5% max.	-0.06-0.07%	-0.06-0.07%
Straightness of sides 边直度	±0.5% max.	-0.02-0.03%	-0.02-0.03%
Surfaces flatness 表面平整度	±0.5% max.	-0.09-0.11%	-0.09-0.11%
<b>Physical Properties</b>			
Water absorption 吸水率	≤0.5%	≤0.5%	≤0.5%
Breaking strength 断裂强度	≥1300N	4031N	4031N
Bending resistance 抗弯曲性	≥35N/mm²	40N/mm²	40N/mm²
Resistance to deep abrasion 耐磨程度	≤175mm³	Class 4	Class 4
Temperature shock resistance 耐高低温系数	No visible crack 没有明显裂纹	Durable 耐温性好	Durable 耐温性好
Resistance to frost 防冻性能	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹
Non-slip 防滑系数			
Colour resistance to light 颜色耐光性	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色
<b>Chemical Properties</b>			
Chemical resistance 耐化学性	no visible changes when subjected to chemicals 遇化学物质不受影响	Durable 耐化学性能好	Durable 耐化学性能好
Resistance to staining 抗染色	≥3	Class 5 5级	Class 5 5级



## PACKING DETAILS 包装细节

SIZES 尺寸	PCS/CTN 片/箱	M² / CTN 平方/箱	KG/CTN 千克/箱	CTN/PALLET 箱/托
600x1200mm	2	1.44	35	28/60
900x1800mm	1	1.62	40	56

Every appearance of **Casaferra**<sup>®</sup>  
can make you feel the elegance of life

C10, Central Section, China Ceramics Industry Headquarters

No.68, West Ji Hua Road, Foshan City

[www.casaferra.com](http://www.casaferra.com)

TEL:0757-8533 9907