


Casaferro®
Porcelain. Elegance. Sustainability

MAS MALDIVES SAND




MALDIVES SAND
ORIGINAL STONE

MALDIVES SAND
ORIGINAL STONE





The feeling comes from the flawless white sand beach of Maldives, which is romantic, soft and delicate. The transparency and purity of the white beach are the keynote. The layers of sand shimmering and texture blown by the sea breeze participate in it, and the texture of the waves hitting the white beach. Feel the call of the ocean brought by the cool sea breeze, carving out the unique characteristics of the space.



Casaferra[®]
Porcelain.Elegance.Sustainability



The pure white and clean base of Maldives Sand and the surging waves are as gentle as a breeze, quiet and long. The gray and white stone patterns are scattered among them like pearl stars, telling the story of the changes of the natural coastline over the years.

MALDIVES SAND

ULTRAWHITE_MAS00

- 90x180_36"x72"
- 75x150_30"x60"
- 60x120_24"x48"
- 60x60_24"x24"
- 30x60_12"x24"

SAND_MAS01

- 90x180_36"x72"
- 75x150_30"x60"
- 60x120_24"x48"
- 60x60_24"x24"
- 30x60_12"x24"





Floor-60MAS00U
600X600mm 24"x24"



Floor&Wall-60MAS00U
600X600mm 24"x24"



Floor&Wall-60MAS00U
600X600mm 24"x24"



Floor -715MAS00U
750X1500mm 30"x60"







Floor -715MAS00U
750X1500mm 30"x60"



Maldives Sand / 马尔代夫细沙




32 PATTERNS(300x600mm) /16 PATTERNS(600x600mm) /8PATTERNS(600x1200mm)




ULTRAWHITE-612MAS00U 600x1200mm 24"x48"
Surface:Super White Body,Matt

Maldives Sand / 马尔代夫细沙



8PATTERNS(750x1500mm)/8PATTERNS(900x1800mm)



ULTRAWHITE-918MAS00U 900x1800mm 36"x72"
Surface:Super White Body,Matt



Floor-60MAS01U
600X600mm 24"x24"



Floor-60MAS01U
600X600mm 24"x24"



Floor&Wall-60MAS01U
600X600mm 24"x24"





Floor&Wall-60MAS01U
600X600mm 24"x24"





Floor&Wall-715MAS01U
750X1500mm 30"x60"



Floor&Wall-715MAS01U
750X1500mm 30"x60"



Maldives Sand / 马尔代夫细沙



32 PATTERNS(300x600mm) /16 PATTERNS(600x600mm) /8PATTERNS(600x1200mm)




SAND-612MAS01U 600x1200mm 24"x48"
Surface:Super White Body,Matt

Maldives Sand / 马尔代夫细沙



8PATTERNS(750x1500mm)/8PATTERNS(900x1800mm)




SAND-918MAS01U


Surface:Super White Body,Matt

900x1800mm 36"x72"


MOSAIC




M12
300X300mm




M21
320X268mm




M13
285X285mm




M32
275X275mm




M31
300X300mm




M11
300X300mm



M22
300X300mm







M23
300X300mm



M51
610X813mm

PRODUCT FEATURE 产品特点 / APPLICATION 应用 / INSTALLATION GUIDANCE 安装指南

 TEXTURE RATING 纹理评级	 MIN LAYING GAP 3mm 最小铺设间隙3mm	 RECTIFIED 精准的尺寸	 WALL TILES 墙砖	 FLOOR TILES 地砖	 COLOURS 颜色	 SIZES 尺寸	 SURFACES 表面效果
--	---	---	---	--	--	--	---

			
V1	√ V2	V3	V4
V1=Uniform Appearance		V2=Slight Variation	
V3=Moderate Variation		V4=Substantial Variation	

MEASUREMENT AND SURFACE APPEARANCE 尺寸和表面效果	STANDARD PRESCRIBED VALUES 标准规定值	VALUES 标准值(300×600mm)	VALUES 标准值(600×600mm)	VALUES 标准值(600×1200mm)	VALUES 标准值(750×1500mm)	VALUES 标准值(900×1800mm)
Dimensions & Surface Quality						
 Length and Width 长度和宽度	±0.6% max.	-0.03-0.03%	-0.03-0.03%	-0.03-0.03%	-0.03-0.03%	-0.03-0.03%
 Thickness 厚度	±5% max.	9.0-9.5mm	10.0-10.5mm	10.0-10.5mm	10.0-10.5mm	10.0-10.5mm
 Orthogonality 直角度	±0.5% max.	-0.06-0.07%	-0.06-0.07%	-0.06-0.07%	-0.06-0.07%	-0.06-0.07%
 Straightness of sides 边直度	±0.5% max.	-0.06-0.07%	-0.02-0.03%	-0.02-0.03%	-0.02-0.03%	-0.02-0.03%
 Surfaces flatness 表面平整度	±0.5% max.	-0.05-0.07%	-0.09-0.11%	-0.09-0.11%	-0.09-0.11%	-0.09-0.11%
Physical Properties						
 Water absorption 吸水率	≤0.5%	≤0.5%	≤0.5%	≤0.5%	≤0.5%	≤0.5%
 Breaking strength 断裂强度	≥1300N	2265N	4031N	4031N	4031N	4031N
 Bending resistance 抗弯曲性	≥35N/mm²	38N/mm²	40N/mm²	40N/mm²	40N/mm²	40N/mm²
 Resistance to deep abrasion 耐磨程度	≤175mm³	Class 4	Class 4	Class 4	Class 4	Class 4
 Temperature shock resistance 耐高低温系数	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	Durable 耐温性好	Durable 耐温性好	Durable 耐温性好	Durable 耐温性好
 Resistance to frost 防冻性能	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹
 Non-slip 防滑系数		R11	R11/R9			
 Colour resistance to light 颜色耐光性	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色
Chemical Properties						
 Chemical resistance 耐化学性	no visible changes when subjected to chemicals 遇化学物质不受影响	Durable 耐化学性能好	Durable 耐化学性能好	Durable 耐化学性能好	Durable 耐化学性能好	Durable 耐化学性能好
 Resistance to staining 抗染色	≥3	Class 5 5级	Class 5 5级	Class 5 5级	Class 5 5级	Class 5 5级



PACKING DETAILS 包装细节

SIZES 尺寸	PCS/CTN 片/箱	M ² /CTN 平方/箱	KG/CTN 千克/箱	CTN/PALLET 箱/托
				
300x600mm	8	1.44	30	40
600x600mm	4	1.44	30	40
600x1200mm	2	1.44	35	28/60
750x1500mm	2	2.25	54	36/40
900x1800mm	1	1.62	40	56

Every appearance of **Casaferra**[®]
can make you feel the elegance of life

C10, Central Section, China Ceramics Industry Headquarters
No.68, West Ji Hua Road, Foshan City

www.casaferra.com

TEL:0757-8533 9907